

	Hits	Search Text	DBs
1	6	US-5548646-\$.DID. OR US-5854841-\$.DID. OR US-5864683-\$.DID. OR US-5870544-\$.DID. OR US-5987140-\$.DID. OR US-5991414-\$.DID.	USPAT
2	5624	((encrypt\$3 or secure or crypto\$) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1634	((encrypt\$3 or crypto\$) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1553	encrypt\$3 near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	189	encryption adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	5	utiliz\$5 with (encryption adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	11	"5751813".URPN.	USPAT
8	0	utiliz\$5 with ((cryptograph\$2 near2 (harware or card)) near5 (server or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	12	utiliz\$5 with (cryptograph\$2 near2 (harware or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	10	"5604807".URPN.	USPAT

	Hits	Search Text	DBs
11	16	(thin near2 (client or terminal)) same ((encrypt\$3 or cryptograph\$2 or secure) near2 (server or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	1	("5602918").PN.	USPAT; USOCR
13	11	("5586260" "5659616" "5671279" "5675649" "5745574" "5774552" "5872848" "5903651" "5903882" "6202157" "6233341").PN.	USPAT
14	41	different near3 (encrypt\$3 or cryptograph\$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	11	("4660032" "5285496" "5392353" "5452356" "5481255" "5495533" "5590197" "5604801" "5638450" "5668876" "5694471").PN.	USPAT
16	40	"5285496".URPN.	USPAT
17	6	("4803726" "4882579" "5018196" "5072444" "5103459" "5168271").PN.	USPAT
18	16	conver\$4 near3 (encrypt\$3 or cryptograph\$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	("5001755" "5381480" "5475757").PN.	USPAT
20	14	"5475757".URPN.	USPAT
21	9	"5812671".URPN.	USPAT
22	103	(server or gateway) with (proxy near3 client) same (encrypt\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	1	"5696823".PN.	USPAT
24	0	"6779111".URPN.	USPAT
25	4	("5623601" "5706434" "5764750" "5781550").PN.	USPAT

	Hits	Search Text	DBs
26	32	"encryption proxy" or (proxy near2 crypto\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	"20020161998"	US-PGPUB; USPAT
28	1	("5208858").PN.	USPAT; USOCR
29	21	"5208858".URPN.	USPAT
30	3	("5005200" "5050212" "5073934").PN.	USPAT
31	1114	(signing or signature) near2 (proxy or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	456	((signing or signature) near2 (proxy or server)) same (rsa or "public key" or "private key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	88	((signing or signature) adj (proxy or server)) same (rsa or "public key" or "private key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	157	(send\$3 or transmit\$3) near2 "private key" with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	5720	713/151,153,155,176,180,201;380/29,3 0.ccls.	US-PGPUB; USPAT
36	20	713/151,153,155,176,180,201;380/29,3 0.ccls. and "encryption proxy" or (proxy near2 crypto\$)	US-PGPUB; USPAT
37	72	713/151,153,155,176,180,201;380/29,3 0.ccls. and ((signing or signature) adj (proxy or server))	US-PGPUB; USPAT
38	5	utiliz\$5 with (encryption adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	15	"5751813".URPN.	USPAT
40	0	utiliz\$5 with ((cryptograph\$2 near2 (harware or card)) near5 (server or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	15	utiliz\$5 with (cryptograph\$2 near2 (harware or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	11	"5604807".URPN.	USPAT
43	18	(thin near2 (client or terminal)) same ((encrypt\$3 or cryptograph\$2 or secure) near2 (server or gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	11	("5586260" "5659616" "5671279" "5675649" "5745574" "5774552" "5872848" "5903651" "5903882" "6202157" "6233341").PN.	USPAT
45	51	different near3 (encrypt\$3 or cryptograph\$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	11	("4660032" "5285496" "5392353" "5452356" "5481255" "5495533" "5590197" "5604801" "5638450" "5668876" "5694471").PN.	USPAT
47	40	"5285496".URPN.	USPAT
48	6	("4803726" "4882579" "5018196" "5072444" "5103459" "5168271").PN.	USPAT
49	21	conver\$4 near3 (encrypt\$3 or cryptograph\$2) near2 (algorithm or method or technique or protocol) with (server or gateway or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	3	("5001755" "5381480" "5475757").PN.	USPAT
51	14	"5475757".URPN.	USPAT

	Hits	Search Text	DBs
52	9	"5812671".URPN.	USPAT
53	114	(server or gateway) with (proxy near3 client) same (encrypt\$3 or cryptograph\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	"6779111".URPN.	USPAT
55	4	("5623601" "5706434" "5764750" "5781550").PN.	USPAT
56	39	"encryption proxy" or (proxy near2 crypto\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	"5208858".URPN.	USPAT
58	109	((signing or signature) adj (proxy or server)) same (rsa or "public key" or "private key")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	75	(send\$3 or transmit\$3) near2 "private key" near5 server and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	4256	713/151,153,155,176,180,201;380/29,30.ccls. and (@ad<"20010427" or @rlad<"20010427")	US-PGPUB; USPAT
61	8	S210 and ("encryption proxy" or (proxy near2 crypto\$))	US-PGPUB; USPAT
62	60	S210 and ((signing or signature) adj (proxy or server))	US-PGPUB; USPAT